

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Planning Area = South Texas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 1 | 1 | 2 |
| | | % within Sex | .3% | 1.2% | .5% |
| | 1 (12-23 mo) | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | 1.2% | .2% |
| | 2-4 | Count | 0 | 2 | 2 |
| | | % within Sex | .0% | 2.4% | .5% |
| | 13-19 | Count | 6 | 5 | 11 |
| | | % within Sex | 1.8% | 5.9% | 2.6% |
| | 20-24 | Count | 49 | 10 | 59 |
| | | % within Sex | 14.8% | 11.8% | 14.1% |
| | 25-29 | Count | 58 | 15 | 73 |
| | | % within Sex | 17.5% | 17.6% | 17.5% |
| | 30-34 | Count | 63 | 17 | 80 |
| | | % within Sex | 19.0% | 20.0% | 19.2% |
| | 35-39 | Count | 69 | 10 | 79 |
| | | % within Sex | 20.8% | 11.8% | 18.9% |
| | 40-44 | Count | 47 | 11 | 58 |
| | | % within Sex | 14.2% | 12.9% | 13.9% |
| | 45-49 | Count | 17 | 4 | 21 |
| | | % within Sex | 5.1% | 4.7% | 5.0% |
| | 50-54 | Count | 11 | 5 | 16 |
| | | % within Sex | 3.3% | 5.9% | 3.8% |
| | 55-59 | Count | 7 | 4 | 11 |
| | | % within Sex | 2.1% | 4.7% | 2.6% |
| | 60-64 | Count | 2 | 0 | 2 |
| | | % within Sex | .6% | .0% | .5% |
| | 65-69 | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .2% |
| | 70+ | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .2% |
| Total | | Count | 332 | 85 | 417 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 103 | 10 | 113 |
| | | % within Sex | 31.0% | 11.8% | 27.1% |
| | African American | Count | 29 | 13 | 42 |
| | | % within Sex | 8.7% | 15.3% | 10.1% |
| | Hispanic | Count | 196 | 60 | 256 |
| | | % within Sex | 59.0% | 70.6% | 61.4% |
| | Asian-Pacific Islander | Count | 1 | 1 | 2 |
| | | % within Sex | .3% | 1.2% | .5% |
| | Not Specified | Count | 3 | 1 | 4 |
| | | % within Sex | .9% | 1.2% | 1.0% |
| Total | | Count | 332 | 85 | 417 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 145 | 0 | 145 |
| | | % within Sex | 43.7% | .0% | 34.8% |
| | IDU | Count | 33 | 14 | 47 |
| | | % within Sex | 9.9% | 16.5% | 11.3% |
| | M-M & IDU | Count | 10 | 0 | 10 |
| | | % within Sex | 3.0% | .0% | 2.4% |
| | Hemophiliac | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .2% |
| | Heterosexual Contact | Count | 16 | 32 | 48 |
| | | % within Sex | 4.8% | 37.6% | 11.5% |
| | Transfusion | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .2% |
| | Not Classified | Count | 125 | 35 | 160 |
| | | % within Sex | 37.7% | 41.2% | 38.4% |
| | Ped Parent at Risk | Count | 1 | 4 | 5 |
| | | % within Sex | .3% | 4.7% | 1.2% |
| Total | | Count | 332 | 85 | 417 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | |
| Race-Ethnicity | White Non-Hispanic | Count | 0 | 113 | 113 |
| | | % within Adult-Ped | .0% | 27.4% | 27.1% |
| | African American | Count | 1 | 41 | 42 |
| | | % within Adult-Ped | 20.0% | 10.0% | 10.1% |
| | Hispanic | Count | 4 | 252 | 256 |
| | | % within Adult-Ped | 80.0% | 61.2% | 61.4% |
| | Asian-Pacific Islander | Count | 0 | 2 | 2 |
| | | % within Adult-Ped | .0% | .5% | .5% |
| | Not Specified | Count | 0 | 4 | 4 |
| | | % within Adult-Ped | .0% | 1.0% | 1.0% |
| Total | | Count | 5 | 412 | 417 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Planning Area = South Texas

Age at Diagnosis * Sex Crosstabulation^a

| | | Sex | | Total | |
|------------------|--------------|--------------|--------|--------|-----|
| | | Male | Female | | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 2 | 0 | 2 |
| | | % within Sex | .6% | .0% | .4% |
| 5-12 | Count | 1 | 1 | 2 | |
| | % within Sex | .3% | 1.0% | .4% | |
| 13-19 | Count | 13 | 5 | 18 | |
| | % within Sex | 3.7% | 4.8% | 4.0% | |
| 20-24 | Count | 41 | 14 | 55 | |
| | % within Sex | 11.7% | 13.5% | 12.1% | |
| 25-29 | Count | 78 | 17 | 95 | |
| | % within Sex | 22.3% | 16.3% | 21.0% | |
| 30-34 | Count | 68 | 19 | 87 | |
| | % within Sex | 19.5% | 18.3% | 19.2% | |
| 35-39 | Count | 50 | 22 | 72 | |
| | % within Sex | 14.3% | 21.2% | 15.9% | |
| 40-44 | Count | 45 | 11 | 56 | |
| | % within Sex | 12.9% | 10.6% | 12.4% | |
| 45-49 | Count | 29 | 9 | 38 | |
| | % within Sex | 8.3% | 8.7% | 8.4% | |
| 50-54 | Count | 9 | 3 | 12 | |
| | % within Sex | 2.6% | 2.9% | 2.6% | |
| 55-59 | Count | 6 | 1 | 7 | |
| | % within Sex | 1.7% | 1.0% | 1.5% | |
| 60-64 | Count | 3 | 2 | 5 | |
| | % within Sex | .9% | 1.9% | 1.1% | |
| 70+ | Count | 4 | 0 | 4 | |
| | % within Sex | 1.1% | .0% | .9% | |
| Total | Count | 349 | 104 | 453 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. Planning Area = South Texas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 96 | 20 | 116 |
| | | % within Sex | 27.5% | 19.2% | 25.6% |
| | African American | Count | 44 | 17 | 61 |
| | | % within Sex | 12.6% | 16.3% | 13.5% |
| | Hispanic | Count | 205 | 65 | 270 |
| | | % within Sex | 58.7% | 62.5% | 59.6% |
| | Asian-Pacific Islander | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .2% |
| | Am Indian-Alaskan | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | 1.0% | .2% |
| | Not Specified | Count | 3 | 1 | 4 |
| | | % within Sex | .9% | 1.0% | .9% |
| Total | Count | | 349 | 104 | 453 |
| | % within Sex | | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 200 | 0 | 200 |
| | | % within Sex | 57.3% | .0% | 44.2% |
| | IDU | Count | 35 | 21 | 56 |
| | | % within Sex | 10.0% | 20.2% | 12.4% |
| | M-M & IDU | Count | 14 | 0 | 14 |
| | | % within Sex | 4.0% | .0% | 3.1% |
| | Heterosexual Contact | Count | 23 | 59 | 82 |
| | | % within Sex | 6.6% | 56.7% | 18.1% |
| | Transfusion | Count | 1 | 1 | 2 |
| | | % within Sex | .3% | 1.0% | .4% |
| | Not Classified | Count | 73 | 22 | 95 |
| | | % within Sex | 20.9% | 21.2% | 21.0% |
| | Ped Parent at Risk | Count | 2 | 1 | 3 |
| | | % within Sex | .6% | 1.0% | .7% |
| | Ped Other-Undet | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .2% |
| Total | Count | | 349 | 104 | 453 |
| | % within Sex | | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | |
| Race-Ethnicity | White Non-Hispanic | Count | 1 | 115 | 116 |
| | | % within Adult-Ped | 25.0% | 25.6% | 25.6% |
| | African American | Count | 1 | 60 | 61 |
| | | % within Adult-Ped | 25.0% | 13.4% | 13.5% |
| | Hispanic | Count | 2 | 268 | 270 |
| | | % within Adult-Ped | 50.0% | 59.7% | 59.6% |
| | Asian-Pacific Islander | Count | 0 | 1 | 1 |
| | | % within Adult-Ped | .0% | .2% | .2% |
| | Am Indian-Alaskan | Count | 0 | 1 | 1 |
| | | % within Adult-Ped | .0% | .2% | .2% |
| | Not Specified | Count | 0 | 4 | 4 |
| | | % within Adult-Ped | .0% | .9% | .9% |
| Total | | Count | 4 | 449 | 453 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Planning Area = South Texas

Age at Diagnosis * Sex Crosstabulation^a

| | | Sex | | Total | |
|------------------|-------------|--------------|--------|--------|--------|
| | | Male | Female | | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 7 | 6 | 13 |
| | | % within Sex | .5% | 1.3% | .7% |
| 1 (12-23 mo) | Count | 2 | 2 | 4 | |
| | | % within Sex | .1% | .4% | .2% |
| 2-4 | Count | 1 | 2 | 3 | |
| | | % within Sex | .1% | .4% | .2% |
| 5-12 | Count | 4 | 4 | 8 | |
| | | % within Sex | .3% | .9% | .4% |
| 13-19 | Count | 44 | 22 | 66 | |
| | | % within Sex | 3.2% | 4.7% | 3.5% |
| 20-24 | Count | 183 | 78 | 261 | |
| | | % within Sex | 13.1% | 16.8% | 14.0% |
| 25-29 | Count | 290 | 78 | 368 | |
| | | % within Sex | 20.8% | 16.8% | 19.8% |
| 30-34 | Count | 269 | 91 | 360 | |
| | | % within Sex | 19.3% | 19.6% | 19.3% |
| 35-39 | Count | 253 | 74 | 327 | |
| | | % within Sex | 18.1% | 15.9% | 17.6% |
| 40-44 | Count | 156 | 48 | 204 | |
| | | % within Sex | 11.2% | 10.3% | 11.0% |
| 45-49 | Count | 92 | 27 | 119 | |
| | | % within Sex | 6.6% | 5.8% | 6.4% |
| 50-54 | Count | 46 | 18 | 64 | |
| | | % within Sex | 3.3% | 3.9% | 3.4% |
| 55-59 | Count | 29 | 9 | 38 | |
| | | % within Sex | 2.1% | 1.9% | 2.0% |
| 60-64 | Count | 10 | 6 | 16 | |
| | | % within Sex | .7% | 1.3% | .9% |
| 65-69 | Count | 1 | 0 | 1 | |
| | | % within Sex | .1% | .0% | .1% |
| 70+ | Count | 9 | 0 | 9 | |
| | | % within Sex | .6% | .0% | .5% |
| Total | Count | 1396 | 465 | 1861 | |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 411 | 107 | 518 |
| | | % within Sex | 29.4% | 23.0% | 27.8% |
| | African American | Count | 137 | 68 | 205 |
| | | % within Sex | 9.8% | 14.6% | 11.0% |
| | Hispanic | Count | 837 | 283 | 1120 |
| | | % within Sex | 60.0% | 60.9% | 60.2% |
| | Asian-Pacific Islander | Count | 5 | 3 | 8 |
| | | % within Sex | .4% | .6% | .4% |
| | Am Indian-Alaskan | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | .2% | .1% |
| | Not Specified | Count | 6 | 3 | 9 |
| | | % within Sex | .4% | .6% | .5% |
| Total | | Count | 1396 | 465 | 1861 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 733 | 0 | 733 |
| | | % within Sex | 52.5% | .0% | 39.4% |
| | IDU | Count | 137 | 97 | 234 |
| | | % within Sex | 9.8% | 20.9% | 12.6% |
| | M-M & IDU | Count | 45 | 0 | 45 |
| | | % within Sex | 3.2% | .0% | 2.4% |
| | Hemophiliac | Count | 1 | 0 | 1 |
| | | % within Sex | .1% | .0% | .1% |
| | Heterosexual Contact | Count | 86 | 218 | 304 |
| | | % within Sex | 6.2% | 46.9% | 16.3% |
| | Transfusion | Count | 3 | 3 | 6 |
| | | % within Sex | .2% | .6% | .3% |
| | Not Classified | Count | 377 | 133 | 510 |
| | | % within Sex | 27.0% | 28.6% | 27.4% |
| | Ped Parent at Risk | Count | 12 | 12 | 24 |
| | | % within Sex | .9% | 2.6% | 1.3% |
| | Ped Transfusion | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | .2% | .1% |
| | Ped Other-Undet | Count | 2 | 1 | 3 |
| | | % within Sex | .1% | .2% | .2% |
| Total | | Count | 1396 | 465 | 1861 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Cumulative Reported HIV Infection Cases through 12/31/03
 (from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | |
| Race-Ethnicity | White Non-Hispanic | Count | 3 | 515 | 518 |
| | | % within Adult-Ped | 10.7% | 28.1% | 27.8% |
| | African American | Count | 5 | 200 | 205 |
| | | % within Adult-Ped | 17.9% | 10.9% | 11.0% |
| | Hispanic | Count | 20 | 1100 | 1120 |
| | | % within Adult-Ped | 71.4% | 60.0% | 60.2% |
| | Asian-Pacific Islander | Count | 0 | 8 | 8 |
| | | % within Adult-Ped | .0% | .4% | .4% |
| | Am Indian-Alaskan | Count | 0 | 1 | 1 |
| | | % within Adult-Ped | .0% | .1% | .1% |
| | Not Specified | Count | 0 | 9 | 9 |
| | | % within Adult-Ped | .0% | .5% | .5% |
| Total | | Count | 28 | 1833 | 1861 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Planning Area = South Texas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 7 | 6 | 13 |
| | | % within Sex | .5% | 1.3% | .7% |
| 1 (12-23 mo) | Count | 2 | 2 | 4 | |
| | % within Sex | .1% | .4% | .2% | |
| 2-4 | Count | 1 | 2 | 3 | |
| | % within Sex | .1% | .4% | .2% | |
| 5-12 | Count | 4 | 4 | 8 | |
| | % within Sex | .3% | .9% | .4% | |
| 13-19 | Count | 44 | 22 | 66 | |
| | % within Sex | 3.2% | 4.8% | 3.6% | |
| 20-24 | Count | 183 | 78 | 261 | |
| | % within Sex | 13.3% | 17.0% | 14.2% | |
| 25-29 | Count | 289 | 78 | 367 | |
| | % within Sex | 21.1% | 17.0% | 20.0% | |
| 30-34 | Count | 267 | 90 | 357 | |
| | % within Sex | 19.5% | 19.6% | 19.5% | |
| 35-39 | Count | 249 | 74 | 323 | |
| | % within Sex | 18.1% | 16.1% | 17.6% | |
| 40-44 | Count | 152 | 46 | 198 | |
| | % within Sex | 11.1% | 10.0% | 10.8% | |
| 45-49 | Count | 89 | 26 | 115 | |
| | % within Sex | 6.5% | 5.7% | 6.3% | |
| 50-54 | Count | 42 | 18 | 60 | |
| | % within Sex | 3.1% | 3.9% | 3.3% | |
| 55-59 | Count | 26 | 9 | 35 | |
| | % within Sex | 1.9% | 2.0% | 1.9% | |
| 60-64 | Count | 9 | 5 | 14 | |
| | % within Sex | .7% | 1.1% | .8% | |
| 65-69 | Count | 1 | 0 | 1 | |
| | % within Sex | .1% | .0% | .1% | |
| 70+ | Count | 7 | 0 | 7 | |
| | % within Sex | .5% | .0% | .4% | |
| Total | Count | 1372 | 460 | 1832 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. Planning Area = South Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total |
|-------------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Current Age | 0 (0-11 mo) | Count | 1 | 0 | 1 |
| | | % within Sex | .1% | .0% | .1% |
| | 2-4 | Count | 3 | 4 | 7 |
| | | % within Sex | .2% | .9% | .4% |
| | 5-12 | Count | 8 | 7 | 15 |
| | | % within Sex | .6% | 1.5% | .8% |
| | 13-19 | Count | 10 | 10 | 20 |
| | | % within Sex | .7% | 2.2% | 1.1% |
| | 20-24 | Count | 98 | 28 | 126 |
| | | % within Sex | 7.1% | 6.1% | 6.9% |
| | 25-29 | Count | 173 | 78 | 251 |
| | | % within Sex | 12.6% | 17.0% | 13.7% |
| | 30-34 | Count | 252 | 84 | 336 |
| | | % within Sex | 18.4% | 18.3% | 18.3% |
| | 35-39 | Count | 263 | 84 | 347 |
| | | % within Sex | 19.2% | 18.3% | 18.9% |
| | 40-44 | Count | 264 | 71 | 335 |
| | | % within Sex | 19.2% | 15.4% | 18.3% |
| | 45-49 | Count | 146 | 46 | 192 |
| | | % within Sex | 10.6% | 10.0% | 10.5% |
| | 50-54 | Count | 77 | 20 | 97 |
| | | % within Sex | 5.6% | 4.3% | 5.3% |
| | 55-59 | Count | 40 | 14 | 54 |
| | | % within Sex | 2.9% | 3.0% | 2.9% |
| | 60-64 | Count | 25 | 11 | 36 |
| | | % within Sex | 1.8% | 2.4% | 2.0% |
| | 65-69 | Count | 4 | 3 | 7 |
| | | % within Sex | .3% | .7% | .4% |
| | 70+ | Count | 8 | 0 | 8 |
| | | % within Sex | .6% | .0% | .4% |
| Total | | Count | 1372 | 460 | 1832 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 405 | 106 | 511 |
| | | % within Sex | 29.5% | 23.0% | 27.9% |
| | African American | Count | 136 | 67 | 203 |
| | | % within Sex | 9.9% | 14.6% | 11.1% |
| | Hispanic | Count | 820 | 280 | 1100 |
| | | % within Sex | 59.8% | 60.9% | 60.0% |
| | Asian-Pacific Islander | Count | 5 | 3 | 8 |
| | | % within Sex | .4% | .7% | .4% |
| | Am Indian-Alaskan | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | .2% | .1% |
| | Not Specified | Count | 6 | 3 | 9 |
| | | % within Sex | .4% | .7% | .5% |
| Total | | Count | 1372 | 460 | 1832 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 727 | 0 | 727 |
| | | % within Sex | 53.0% | .0% | 39.7% |
| | IDU | Count | 134 | 94 | 228 |
| | | % within Sex | 9.8% | 20.4% | 12.4% |
| | M-M & IDU | Count | 44 | 0 | 44 |
| | | % within Sex | 3.2% | .0% | 2.4% |
| | Hemophiliac | Count | 1 | 0 | 1 |
| | | % within Sex | .1% | .0% | .1% |
| | Heterosexual Contact | Count | 84 | 217 | 301 |
| | | % within Sex | 6.1% | 47.2% | 16.4% |
| | Transfusion | Count | 3 | 3 | 6 |
| | | % within Sex | .2% | .7% | .3% |
| | Not Classified | Count | 365 | 132 | 497 |
| | | % within Sex | 26.6% | 28.7% | 27.1% |
| | Ped Parent at Risk | Count | 12 | 12 | 24 |
| | | % within Sex | .9% | 2.6% | 1.3% |
| | Ped Transfusion | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | .2% | .1% |
| | Ped Other-Undet | Count | 2 | 1 | 3 |
| | | % within Sex | .1% | .2% | .2% |
| Total | | Count | 1372 | 460 | 1832 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | |
| Race-Ethnicity | White Non-Hispanic | Count | 3 | 508 | 511 |
| | | % within Adult-Ped | 10.7% | 28.2% | 27.9% |
| | African American | Count | 5 | 198 | 203 |
| | | % within Adult-Ped | 17.9% | 11.0% | 11.1% |
| | Hispanic | Count | 20 | 1080 | 1100 |
| | | % within Adult-Ped | 71.4% | 59.9% | 60.0% |
| | Asian-Pacific Islander | Count | 0 | 8 | 8 |
| | | % within Adult-Ped | .0% | .4% | .4% |
| | Am Indian-Alaskan | Count | 0 | 1 | 1 |
| | | % within Adult-Ped | .0% | .1% | .1% |
| | Not Specified | Count | 0 | 9 | 9 |
| | | % within Adult-Ped | .0% | .5% | .5% |
| Total | | Count | 28 | 1804 | 1832 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Planning Area = South Texas

Age at Diagnosis * Sex Crosstabulation^a

| | | Sex | | Total | |
|------------------|-------|--------------|--------|--------|--------|
| | | Male | Female | | |
| Age at Diagnosis | 13-19 | Count | 2 | 1 | 3 |
| | | % within Sex | .7% | 2.1% | .9% |
| | 20-24 | Count | 9 | 5 | 14 |
| | | % within Sex | 3.0% | 10.4% | 4.0% |
| | 25-29 | Count | 25 | 5 | 30 |
| | | % within Sex | 8.2% | 10.4% | 8.5% |
| | 30-34 | Count | 52 | 5 | 57 |
| | | % within Sex | 17.1% | 10.4% | 16.2% |
| | 35-39 | Count | 68 | 7 | 75 |
| | | % within Sex | 22.4% | 14.6% | 21.3% |
| | 40-44 | Count | 61 | 6 | 67 |
| | | % within Sex | 20.1% | 12.5% | 19.0% |
| | 45-49 | Count | 50 | 7 | 57 |
| | | % within Sex | 16.4% | 14.6% | 16.2% |
| | 50-54 | Count | 19 | 4 | 23 |
| | | % within Sex | 6.3% | 8.3% | 6.5% |
| | 55-59 | Count | 11 | 3 | 14 |
| | | % within Sex | 3.6% | 6.3% | 4.0% |
| | 60-64 | Count | 3 | 2 | 5 |
| | | % within Sex | 1.0% | 4.2% | 1.4% |
| | 65-69 | Count | 2 | 0 | 2 |
| | | % within Sex | .7% | .0% | .6% |
| | 70+ | Count | 2 | 3 | 5 |
| | | % within Sex | .7% | 6.3% | 1.4% |
| Total | | Count | 304 | 48 | 352 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Race-Ethnicity * Sex Crosstabulation^a

| | | Sex | | Total | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | Male | Female | | |
| Race-Ethnicity | White Non-Hispanic | Count | 70 | 6 | 76 |
| | | % within Sex | 23.0% | 12.5% | 21.6% |
| | African American | Count | 23 | 9 | 32 |
| | | % within Sex | 7.6% | 18.8% | 9.1% |
| | Hispanic | Count | 209 | 33 | 242 |
| | | % within Sex | 68.8% | 68.8% | 68.8% |
| | Asian-Pacific Islander | Count | 2 | 0 | 2 |
| | | % within Sex | .7% | .0% | .6% |
| Total | | Count | 304 | 48 | 352 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 159 | 0 | 159 |
| | | % within Sex | 52.3% | .0% | 45.2% |
| | IDU | Count | 28 | 8 | 36 |
| | | % within Sex | 9.2% | 16.7% | 10.2% |
| | M-M & IDU | Count | 11 | 0 | 11 |
| | | % within Sex | 3.6% | .0% | 3.1% |
| | Heterosexual Contact | Count | 28 | 25 | 53 |
| | | % within Sex | 9.2% | 52.1% | 15.1% |
| | Transfusion | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .3% |
| | Not Classified | Count | 77 | 15 | 92 |
| | | % within Sex | 25.3% | 31.3% | 26.1% |
| Total | | Count | 304 | 48 | 352 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | Total |
|----------------|------------------------|--------------------|----------------------|--------|
| | | | Adult/ Adolescent | |
| Race-Ethnicity | White Non-Hispanic | Count | 76 | 76 |
| | | % within Adult-Ped | 21.6% | 21.6% |
| | African American | Count | 32 | 32 |
| | | % within Adult-Ped | 9.1% | 9.1% |
| | Hispanic | Count | 242 | 242 |
| | | % within Adult-Ped | 68.8% | 68.8% |
| | Asian-Pacific Islander | Count | 2 | 2 |
| | | % within Adult-Ped | .6% | .6% |
| Total | | Count | 352 | 352 |
| | | % within Adult-Ped | 100.0% | 100.0% |

a. Planning Area = South Texas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Planning Area = South Texas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Age at Diagnosis | 1 (12-23 mo) | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | 1.8% | .3% |
| 5-12 | Count | 1 | 0 | 1 | |
| | % within Sex | .3% | .0% | .3% | |
| 13-19 | Count | 3 | 1 | 4 | |
| | % within Sex | 1.0% | 1.8% | 1.1% | |
| 20-24 | Count | 7 | 6 | 13 | |
| | % within Sex | 2.3% | 10.5% | 3.6% | |
| 25-29 | Count | 37 | 4 | 41 | |
| | % within Sex | 12.2% | 7.0% | 11.4% | |
| 30-34 | Count | 55 | 11 | 66 | |
| | % within Sex | 18.1% | 19.3% | 18.3% | |
| 35-39 | Count | 68 | 10 | 78 | |
| | % within Sex | 22.4% | 17.5% | 21.6% | |
| 40-44 | Count | 53 | 10 | 63 | |
| | % within Sex | 17.4% | 17.5% | 17.5% | |
| 45-49 | Count | 38 | 5 | 43 | |
| | % within Sex | 12.5% | 8.8% | 11.9% | |
| 50-54 | Count | 21 | 6 | 27 | |
| | % within Sex | 6.9% | 10.5% | 7.5% | |
| 55-59 | Count | 10 | 1 | 11 | |
| | % within Sex | 3.3% | 1.8% | 3.0% | |
| 60-64 | Count | 2 | 0 | 2 | |
| | % within Sex | .7% | .0% | .6% | |
| 65-69 | Count | 8 | 2 | 10 | |
| | % within Sex | 2.6% | 3.5% | 2.8% | |
| 70+ | Count | 1 | 0 | 1 | |
| | % within Sex | .3% | .0% | .3% | |
| Total | Count | 304 | 57 | 361 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. Planning Area = South Texas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 74 | 7 | 81 |
| | | % within Sex | 24.3% | 12.3% | 22.4% |
| | African American | Count | 26 | 11 | 37 |
| | | % within Sex | 8.6% | 19.3% | 10.2% |
| | Hispanic | Count | 198 | 38 | 236 |
| | | % within Sex | 65.1% | 66.7% | 65.4% |
| | Asian-Pacific Islander | Count | 2 | 1 | 3 |
| | | % within Sex | .7% | 1.8% | .8% |
| | Am Indian-Alaskan | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .3% |
| | Not Specified | Count | 3 | 0 | 3 |
| | | % within Sex | 1.0% | .0% | .8% |
| Total | Count | | 304 | 57 | 361 |
| | % within Sex | | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 160 | 0 | 160 |
| | | % within Sex | 52.6% | .0% | 44.3% |
| | IDU | Count | 33 | 8 | 41 |
| | | % within Sex | 10.9% | 14.0% | 11.4% |
| | M-M & IDU | Count | 10 | 0 | 10 |
| | | % within Sex | 3.3% | .0% | 2.8% |
| | Hemophiliac | Count | 2 | 0 | 2 |
| | | % within Sex | .7% | .0% | .6% |
| | Heterosexual Contact | Count | 25 | 30 | 55 |
| | | % within Sex | 8.2% | 52.6% | 15.2% |
| | Transfusion | Count | 1 | 0 | 1 |
| | | % within Sex | .3% | .0% | .3% |
| | Not Classified | Count | 72 | 18 | 90 |
| | | % within Sex | 23.7% | 31.6% | 24.9% |
| | Ped Parent at Risk | Count | 1 | 1 | 2 |
| | | % within Sex | .3% | 1.8% | .6% |
| Total | Count | | 304 | 57 | 361 |
| | % within Sex | | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | |
| Race-Ethnicity | White Non-Hispanic | Count | 0 | 81 | 81 |
| | | % within Adult-Ped | .0% | 22.6% | 22.4% |
| | African American | Count | 0 | 37 | 37 |
| | | % within Adult-Ped | .0% | 10.3% | 10.2% |
| | Hispanic | Count | 2 | 234 | 236 |
| | | % within Adult-Ped | 100.0% | 65.2% | 65.4% |
| | Asian-Pacific Islander | Count | 0 | 3 | 3 |
| | | % within Adult-Ped | .0% | .8% | .8% |
| | Am Indian-Alaskan | Count | 0 | 1 | 1 |
| | | % within Adult-Ped | .0% | .3% | .3% |
| | Not Specified | Count | 0 | 3 | 3 |
| | | % within Adult-Ped | .0% | .8% | .8% |
| Total | | Count | 2 | 359 | 361 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Planning Area = South Texas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 11 | 9 | 20 |
| | | % within Sex | .2% | 1.2% | .3% |
| | 1 (12-23 mo) | Count | 6 | 7 | 13 |
| | | % within Sex | .1% | .9% | .2% |
| | 2-4 | Count | 4 | 5 | 9 |
| | | % within Sex | .1% | .7% | .1% |
| | 5-12 | Count | 12 | 6 | 18 |
| | | % within Sex | .2% | .8% | .3% |
| | 13-19 | Count | 56 | 13 | 69 |
| | | % within Sex | .9% | 1.8% | 1.0% |
| | 20-24 | Count | 275 | 72 | 347 |
| | | % within Sex | 4.3% | 9.8% | 4.9% |
| | 25-29 | Count | 1024 | 103 | 1127 |
| | | % within Sex | 16.1% | 14.0% | 15.9% |
| | 30-34 | Count | 1524 | 147 | 1671 |
| | | % within Sex | 23.9% | 19.9% | 23.5% |
| | 35-39 | Count | 1341 | 114 | 1455 |
| | | % within Sex | 21.1% | 15.4% | 20.5% |
| | 40-44 | Count | 914 | 103 | 1017 |
| | | % within Sex | 14.3% | 14.0% | 14.3% |
| | 45-49 | Count | 563 | 57 | 620 |
| | | % within Sex | 8.8% | 7.7% | 8.7% |
| | 50-54 | Count | 307 | 45 | 352 |
| | | % within Sex | 4.8% | 6.1% | 5.0% |
| | 55-59 | Count | 154 | 19 | 173 |
| | | % within Sex | 2.4% | 2.6% | 2.4% |
| | 60-64 | Count | 94 | 15 | 109 |
| | | % within Sex | 1.5% | 2.0% | 1.5% |
| | 65-69 | Count | 58 | 11 | 69 |
| | | % within Sex | .9% | 1.5% | 1.0% |
| | 70+ | Count | 27 | 12 | 39 |
| | | % within Sex | .4% | 1.6% | .5% |
| Total | | Count | 6370 | 738 | 7108 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 2220 | 187 | 2407 |
| | | % within Sex | 34.9% | 25.3% | 33.9% |
| | African American | Count | 549 | 123 | 672 |
| | | % within Sex | 8.6% | 16.7% | 9.5% |
| | Hispanic | Count | 3570 | 426 | 3996 |
| | | % within Sex | 56.0% | 57.7% | 56.2% |
| | Asian-Pacific Islander | Count | 14 | 2 | 16 |
| | | % within Sex | .2% | .3% | .2% |
| | Am Indian-Alaskan | Count | 8 | 0 | 8 |
| | | % within Sex | .1% | .0% | .1% |
| | Not Specified | Count | 9 | 0 | 9 |
| | | % within Sex | .1% | .0% | .1% |
| Total | Count | | 6370 | 738 | 7108 |
| | % within Sex | | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 4179 | 0 | 4179 |
| | | % within Sex | 65.6% | .0% | 58.8% |
| | IDU | Count | 612 | 171 | 783 |
| | | % within Sex | 9.6% | 23.2% | 11.0% |
| | M-M & IDU | Count | 492 | 0 | 492 |
| | | % within Sex | 7.7% | .0% | 6.9% |
| | Hemophiliac | Count | 63 | 1 | 64 |
| | | % within Sex | 1.0% | .1% | .9% |
| | Heterosexual Contact | Count | 304 | 400 | 704 |
| | | % within Sex | 4.8% | 54.2% | 9.9% |
| | Transfusion | Count | 73 | 26 | 99 |
| | | % within Sex | 1.1% | 3.5% | 1.4% |
| | Confirmed Other | Count | 0 | 2 | 2 |
| | | % within Sex | .0% | .3% | .0% |
| | Not Classified | Count | 606 | 111 | 717 |
| | | % within Sex | 9.5% | 15.0% | 10.1% |
| | Ped Hemophiliac | Count | 14 | 0 | 14 |
| | | % within Sex | .2% | .0% | .2% |
| | Ped Parent at Risk | Count | 23 | 23 | 46 |
| | | % within Sex | .4% | 3.1% | .6% |
| | Ped Transfusion | Count | 4 | 3 | 7 |
| | | % within Sex | .1% | .4% | .1% |
| | Ped Confirmed Other | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | .1% | .0% |
| Total | Count | | 6370 | 738 | 7108 |
| | % within Sex | | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | |
| Race-Ethnicity | White Non-Hispanic | Count | 12 | 2395 | 2407 |
| | | % within Adult-Ped | 20.0% | 34.0% | 33.9% |
| | African American | Count | 9 | 663 | 672 |
| | | % within Adult-Ped | 15.0% | 9.4% | 9.5% |
| | Hispanic | Count | 39 | 3957 | 3996 |
| | | % within Adult-Ped | 65.0% | 56.1% | 56.2% |
| | Asian-Pacific Islander | Count | 0 | 16 | 16 |
| | | % within Adult-Ped | .0% | .2% | .2% |
| | Am Indian-Alaskan | Count | 0 | 8 | 8 |
| | | % within Adult-Ped | .0% | .1% | .1% |
| | Not Specified | Count | 0 | 9 | 9 |
| | | % within Adult-Ped | .0% | .1% | .1% |
| Total | | Count | 60 | 7048 | 7108 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Planning Area = South Texas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 2 | 3 | 5 |
| | | % within Sex | .1% | .7% | .1% |
| | 1 (12-23 mo) | Count | 1 | 4 | 5 |
| | | % within Sex | .0% | .9% | .1% |
| | 2-4 | Count | 2 | 3 | 5 |
| | | % within Sex | .1% | .7% | .1% |
| | 5-12 | Count | 5 | 3 | 8 |
| | | % within Sex | .2% | .7% | .2% |
| | 13-19 | Count | 21 | 10 | 31 |
| | | % within Sex | .7% | 2.2% | .9% |
| | 20-24 | Count | 136 | 47 | 183 |
| | | % within Sex | 4.4% | 10.3% | 5.2% |
| | 25-29 | Count | 452 | 72 | 524 |
| | | % within Sex | 14.7% | 15.8% | 14.8% |
| | 30-34 | Count | 737 | 102 | 839 |
| | | % within Sex | 24.0% | 22.3% | 23.8% |
| | 35-39 | Count | 682 | 71 | 753 |
| | | % within Sex | 22.2% | 15.5% | 21.3% |
| | 40-44 | Count | 467 | 57 | 524 |
| | | % within Sex | 15.2% | 12.5% | 14.8% |
| | 45-49 | Count | 282 | 31 | 313 |
| | | % within Sex | 9.2% | 6.8% | 8.9% |
| | 50-54 | Count | 156 | 23 | 179 |
| | | % within Sex | 5.1% | 5.0% | 5.1% |
| | 55-59 | Count | 77 | 12 | 89 |
| | | % within Sex | 2.5% | 2.6% | 2.5% |
| | 60-64 | Count | 30 | 6 | 36 |
| | | % within Sex | 1.0% | 1.3% | 1.0% |
| | 65-69 | Count | 18 | 7 | 25 |
| | | % within Sex | .6% | 1.5% | .7% |
| | 70+ | Count | 6 | 6 | 12 |
| | | % within Sex | .2% | 1.3% | .3% |
| Total | | Count | 3074 | 457 | 3531 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total |
|-------------|---------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Current Age | 2-4 | Count | 0 | 2 | 2 |
| | | % within Sex | .0% | .4% | .1% |
| | 5-12 | Count | 3 | 4 | 7 |
| | | % within Sex | .1% | .9% | .2% |
| | 13-19 | Count | 5 | 8 | 13 |
| | | % within Sex | .2% | 1.8% | .4% |
| | 20-24 | Count | 27 | 10 | 37 |
| | | % within Sex | .9% | 2.2% | 1.0% |
| | 25-29 | Count | 100 | 34 | 134 |
| | | % within Sex | 3.3% | 7.4% | 3.8% |
| | 30-34 | Count | 330 | 69 | 399 |
| | | % within Sex | 10.7% | 15.1% | 11.3% |
| | 35-39 | Count | 643 | 96 | 739 |
| | | % within Sex | 20.9% | 21.0% | 20.9% |
| | 40-44 | Count | 785 | 87 | 872 |
| | | % within Sex | 25.5% | 19.0% | 24.7% |
| | 45-49 | Count | 531 | 62 | 593 |
| | | % within Sex | 17.3% | 13.6% | 16.8% |
| | 50-54 | Count | 306 | 33 | 339 |
| | | % within Sex | 10.0% | 7.2% | 9.6% |
| | 55-59 | Count | 189 | 23 | 212 |
| | | % within Sex | 6.1% | 5.0% | 6.0% |
| | 60-64 | Count | 82 | 10 | 92 |
| | | % within Sex | 2.7% | 2.2% | 2.6% |
| | 65-69 | Count | 41 | 5 | 46 |
| | | % within Sex | 1.3% | 1.1% | 1.3% |
| | 70+ | Count | 32 | 13 | 45 |
| | | % within Sex | 1.0% | 2.8% | 1.3% |
| | Unknown | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | .2% | .0% |
| Total | | Count | 3074 | 457 | 3531 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 952 | 107 | 1059 |
| | | % within Sex | 31.0% | 23.4% | 30.0% |
| | African American | Count | 278 | 71 | 349 |
| | | % within Sex | 9.0% | 15.5% | 9.9% |
| | Hispanic | Count | 1824 | 277 | 2101 |
| | | % within Sex | 59.3% | 60.6% | 59.5% |
| | Asian-Pacific Islander | Count | 9 | 2 | 11 |
| | | % within Sex | .3% | .4% | .3% |
| | Am Indian-Alaskan | Count | 6 | 0 | 6 |
| | | % within Sex | .2% | .0% | .2% |
| | Not Specified | Count | 5 | 0 | 5 |
| | | % within Sex | .2% | .0% | .1% |
| Total | | Count | 3074 | 457 | 3531 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 1933 | 0 | 1933 |
| | | % within Sex | 62.9% | .0% | 54.7% |
| | IDU | Count | 320 | 105 | 425 |
| | | % within Sex | 10.4% | 23.0% | 12.0% |
| | M-M & IDU | Count | 209 | 0 | 209 |
| | | % within Sex | 6.8% | .0% | 5.9% |
| | Hemophiliac | Count | 13 | 1 | 14 |
| | | % within Sex | .4% | .2% | .4% |
| | Heterosexual Contact | Count | 194 | 258 | 452 |
| | | % within Sex | 6.3% | 56.5% | 12.8% |
| | Transfusion | Count | 12 | 2 | 14 |
| | | % within Sex | .4% | .4% | .4% |
| | Not Classified | Count | 379 | 78 | 457 |
| | | % within Sex | 12.3% | 17.1% | 12.9% |
| | Ped Hemophiliac | Count | 7 | 0 | 7 |
| | | % within Sex | .2% | .0% | .2% |
| | Ped Parent at Risk | Count | 6 | 12 | 18 |
| | | % within Sex | .2% | 2.6% | .5% |
| | Ped Transfusion | Count | 1 | 0 | 1 |
| | | % within Sex | .0% | .0% | .0% |
| | Ped Confirmed Other | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | .2% | .0% |
| Total | | Count | 3074 | 457 | 3531 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Living Reported AIDS Cases through 12/31/03
 (from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | |
| Race-Ethnicity | White Non-Hispanic | Count | 4 | 1055 | 1059 |
| | | % within Adult-Ped | 17.4% | 30.1% | 30.0% |
| | African American | Count | 1 | 348 | 349 |
| | | % within Adult-Ped | 4.3% | 9.9% | 9.9% |
| | Hispanic | Count | 18 | 2083 | 2101 |
| | | % within Adult-Ped | 78.3% | 59.4% | 59.5% |
| | Asian-Pacific Islander | Count | 0 | 11 | 11 |
| | | % within Adult-Ped | .0% | .3% | .3% |
| | Am Indian-Alaskan | Count | 0 | 6 | 6 |
| | | % within Adult-Ped | .0% | .2% | .2% |
| | Not Specified | Count | 0 | 5 | 5 |
| | | % within Adult-Ped | .0% | .1% | .1% |
| Total | | Count | 23 | 3508 | 3531 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Planning Area = South Texas

Age at Diagnosis * Sex Crosstabulation^a

| | | Sex | | Total | |
|------------------|-------------|--------------|--------|--------|--------|
| | | Male | Female | | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 9 | 9 | 18 |
| | | % within Sex | .2% | 1.0% | .3% |
| 1 (12-23 mo) | Count | 3 | 6 | 9 | |
| | | % within Sex | .1% | .7% | .2% |
| 2-4 | Count | 3 | 5 | 8 | |
| | | % within Sex | .1% | .5% | .1% |
| 5-12 | Count | 9 | 7 | 16 | |
| | | % within Sex | .2% | .8% | .3% |
| 13-19 | Count | 65 | 32 | 97 | |
| | | % within Sex | 1.5% | 3.5% | 1.8% |
| 20-24 | Count | 319 | 125 | 444 | |
| | | % within Sex | 7.2% | 13.6% | 8.3% |
| 25-29 | Count | 741 | 150 | 891 | |
| | | % within Sex | 16.7% | 16.4% | 16.6% |
| 30-34 | Count | 1004 | 192 | 1196 | |
| | | % within Sex | 22.6% | 20.9% | 22.3% |
| 35-39 | Count | 931 | 145 | 1076 | |
| | | % within Sex | 20.9% | 15.8% | 20.1% |
| 40-44 | Count | 619 | 103 | 722 | |
| | | % within Sex | 13.9% | 11.2% | 13.5% |
| 45-49 | Count | 371 | 57 | 428 | |
| | | % within Sex | 8.3% | 6.2% | 8.0% |
| 50-54 | Count | 198 | 41 | 239 | |
| | | % within Sex | 4.5% | 4.5% | 4.5% |
| 55-59 | Count | 103 | 21 | 124 | |
| | | % within Sex | 2.3% | 2.3% | 2.3% |
| 60-64 | Count | 39 | 11 | 50 | |
| | | % within Sex | .9% | 1.2% | .9% |
| 65-69 | Count | 19 | 7 | 26 | |
| | | % within Sex | .4% | .8% | .5% |
| 70+ | Count | 13 | 6 | 19 | |
| | | % within Sex | .3% | .7% | .4% |
| Total | Count | 4446 | 917 | 5363 | |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total |
|-------------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Current Age | 0 (0-11 mo) | Count | 1 | 0 | 1 |
| | | % within Sex | .0% | .0% | .0% |
| | 2-4 | Count | 3 | 6 | 9 |
| | | % within Sex | .1% | .7% | .2% |
| | 5-12 | Count | 11 | 11 | 22 |
| | | % within Sex | .2% | 1.2% | .4% |
| | 13-19 | Count | 15 | 18 | 33 |
| | | % within Sex | .3% | 2.0% | .6% |
| | 20-24 | Count | 125 | 38 | 163 |
| | | % within Sex | 2.8% | 4.1% | 3.0% |
| | 25-29 | Count | 273 | 112 | 385 |
| | | % within Sex | 6.1% | 12.2% | 7.2% |
| | 30-34 | Count | 582 | 153 | 735 |
| | | % within Sex | 13.1% | 16.7% | 13.7% |
| | 35-39 | Count | 906 | 180 | 1086 |
| | | % within Sex | 20.4% | 19.6% | 20.2% |
| | 40-44 | Count | 1049 | 158 | 1207 |
| | | % within Sex | 23.6% | 17.2% | 22.5% |
| | 45-49 | Count | 677 | 108 | 785 |
| | | % within Sex | 15.2% | 11.8% | 14.6% |
| | 50-54 | Count | 383 | 53 | 436 |
| | | % within Sex | 8.6% | 5.8% | 8.1% |
| | 55-59 | Count | 229 | 37 | 266 |
| | | % within Sex | 5.2% | 4.0% | 5.0% |
| | 60-64 | Count | 107 | 21 | 128 |
| | | % within Sex | 2.4% | 2.3% | 2.4% |
| | 65-69 | Count | 45 | 8 | 53 |
| | | % within Sex | 1.0% | .9% | 1.0% |
| | 70+ | Count | 40 | 13 | 53 |
| | | % within Sex | .9% | 1.4% | 1.0% |
| | Unknown | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | .1% | .0% |
| Total | | Count | 4446 | 917 | 5363 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 1357 | 213 | 1570 |
| | | % within Sex | 30.5% | 23.2% | 29.3% |
| | African American | Count | 414 | 138 | 552 |
| | | % within Sex | 9.3% | 15.0% | 10.3% |
| | Hispanic | Count | 2644 | 557 | 3201 |
| | | % within Sex | 59.5% | 60.7% | 59.7% |
| | Asian-Pacific Islander | Count | 14 | 5 | 19 |
| | | % within Sex | .3% | .5% | .4% |
| | Am Indian-Alaskan | Count | 6 | 1 | 7 |
| | | % within Sex | .1% | .1% | .1% |
| | Not Specified | Count | 11 | 3 | 14 |
| | | % within Sex | .2% | .3% | .3% |
| Total | | Count | 4446 | 917 | 5363 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 2660 | 0 | 2660 |
| | | % within Sex | 59.8% | .0% | 49.6% |
| | IDU | Count | 454 | 199 | 653 |
| | | % within Sex | 10.2% | 21.7% | 12.2% |
| | M-M & IDU | Count | 253 | 0 | 253 |
| | | % within Sex | 5.7% | .0% | 4.7% |
| | Hemophiliac | Count | 14 | 1 | 15 |
| | | % within Sex | .3% | .1% | .3% |
| | Heterosexual Contact | Count | 278 | 475 | 753 |
| | | % within Sex | 6.3% | 51.8% | 14.0% |
| | Transfusion | Count | 15 | 5 | 20 |
| | | % within Sex | .3% | .5% | .4% |
| | Not Classified | Count | 744 | 210 | 954 |
| | | % within Sex | 16.7% | 22.9% | 17.8% |
| | Ped Hemophiliac | Count | 7 | 0 | 7 |
| | | % within Sex | .2% | .0% | .1% |
| | Ped Parent at Risk | Count | 18 | 24 | 42 |
| | | % within Sex | .4% | 2.6% | .8% |
| | Ped Transfusion | Count | 1 | 1 | 2 |
| | | % within Sex | .0% | .1% | .0% |
| | Ped Confirmed Other | Count | 0 | 1 | 1 |
| | | % within Sex | .0% | .1% | .0% |
| | Ped Other-Undet | Count | 2 | 1 | 3 |
| | | % within Sex | .0% | .1% | .1% |
| Total | | Count | 4446 | 917 | 5363 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/ Adolescent | |
| Race-Ethnicity | White Non-Hispanic | Count | 7 | 1563 | 1570 |
| | | % within Adult-Ped | 13.7% | 29.4% | 29.3% |
| | African American | Count | 6 | 546 | 552 |
| | | % within Adult-Ped | 11.8% | 10.3% | 10.3% |
| | Hispanic | Count | 38 | 3163 | 3201 |
| | | % within Adult-Ped | 74.5% | 59.5% | 59.7% |
| | Asian-Pacific Islander | Count | 0 | 19 | 19 |
| | | % within Adult-Ped | .0% | .4% | .4% |
| | Am Indian-Alaskan | Count | 0 | 7 | 7 |
| | | % within Adult-Ped | .0% | .1% | .1% |
| | Not Specified | Count | 0 | 14 | 14 |
| | | % within Adult-Ped | .0% | .3% | .3% |
| Total | | Count | 51 | 5312 | 5363 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. Planning Area = South Texas